

COVID-19 CADTH REFERENCE LIST

Masks During Aerosol Generating Dental Procedures: Clinical Effectiveness and Guidelines

This report was published on March 26, 2020

To produce this report, CADTH used a modified approach to the selection, appraisal, and synthesis of the evidence to meet decision-making needs during the COVID-19 pandemic. Care has been taken to ensure the information is accurate and complete, but it should be noted that international scientific evidence about COVID-19 is changing and growing rapidly.

Version: 1.0

Publication Date: March 2020 Report Length: 8 Pages



Authors: Deba Hafizi, Melissa Walter, Danielle MacDougall

Cite As: Masks During Aerosol Generating Dental Procedures: Clinical Effectiveness and Guidelines. Ottawa: CADTH; 2020 Mar. (CADTH Reference List).

Disclaimer: The information in this document is intended to help Canadian health care decision-makers, health care professionals, health systems leaders, and policy-makers make well-informed decisions and thereby improve the quality of health care services. While patients and others may access this document, the document is made available for informational purposes only and no representations or warranties are made with respect to its fitness for any particular purpose. The information in this document should not be used as a substitute for professional medical advice or as a substitute for the application of clinical judgment in respect of the care of a particular patient or other professional judgment in any decision-making process. The Canadian Agency for Drugs and Technologies in Health (CADTH) does not endorse any information, drugs, therapies, treatments, products, processes, or services.

While care has been taken to ensure that the information prepared by CADTH in this document is accurate, complete, and up-to-date as at the applicable date the material was first published by CADTH, CADTH does not make any guarantees to that effect. CADTH does not guarantee and is not responsible for the quality, currency, propriety, accuracy, or reasonableness of any statements, information, or conclusions contained in any third-party materials used in preparing this document. The views and opinions of third parties published in this document do not necessarily state or reflect those of CADTH.

CADTH is not responsible for any errors, omissions, injury, loss, or damage arising from or relating to the use (or misuse) of any information, statements, or conclusions contained in or implied by the contents of this document or any of the source materials.

This document may contain links to third-party websites. CADTH does not have control over the content of such sites. Use of third-party sites is governed by the third-party website owners' own terms and conditions set out for such sites. CADTH does not make any guarantee with respect to any information contained on such third-party sites and CADTH is not responsible for any injury, loss, or damage suffered as a result of using such third-party sites. CADTH has no responsibility for the collection, use, and disclosure of personal information by third-party sites.

Subject to the aforementioned limitations, the views expressed herein do not necessarily reflect the views of Health Canada, Canada's provincial or territorial governments, other CADTH funders, or any third-party supplier of information.

This document is prepared and intended for use in the context of the Canadian health care system. The use of this document outside of Canada is done so at the user's own risk

This disclaimer and any questions or matters of any nature arising from or relating to the content or use (or misuse) of this document will be governed by and interpreted in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein, and all proceedings shall be subject to the exclusive jurisdiction of the courts of the Province of Ontario, Canada.

The copyright and other intellectual property rights in this document are owned by CADTH and its licensors. These rights are protected by the Canadian *Copyright Act* and other national and international laws and agreements. Users are permitted to make copies of this document for non-commercial purposes only, provided it is not modified when reproduced and appropriate credit is given to CADTH and its licensors.

About CADTH: CADTH is an independent, not-for-profit organization responsible for providing Canada's health care decision-makers with objective evidence to help make informed decisions about the optimal use of drugs, medical devices, diagnostics, and procedures in our health care system.

Funding: CADTH receives funding from Canada's federal, provincial, and territorial governments, with the exception of Quebec.

Questions or requests for information about this report can be directed to requests@cadth.ca



Research Questions

- 1. What is the clinical effectiveness of masks for dental clinicians exposed to bioaerosols or infectious agents during dental procedures?
- 2. What are the evidence-based guidelines regarding the selection of respiratory protection during dental procedures for dental clinicians?

Key Findings

One non-randomized study was identified regarding the clinical effectiveness of masks for dental clinicians exposed to bioaerosols or infectious agents during dental procedures. No relevant evidence-based guidelines were identified regarding the selection of respiratory protection during dental procedures for dental clinicians.

Methods

A limited literature search was conducted by an information specialist on key resources including MEDLINE, the Cochrane Library, the University of York Centre for Reviews and Dissemination (CRD) databases, the websites of Canadian and major international health technology agencies, as well as a focused internet search. The search strategy was comprised of both controlled vocabulary, such as the National Library of Medicine's MeSH (Medical Subject Headings), and keywords. The main search concepts were COVID-19, dental procedures, and face masks. No filters were applied to limit the retrieval by study type. Where possible, retrieval was limited to the human population. The search was also limited to English language documents published between January 1, 2000 and March 23, 2020. Internet links were provided, where available.

Selection Criteria

One reviewer screened citations and selected studies based on the inclusion criteria presented in Table 1.

Table 1: Selection Criteria

Population	Any individual performing or requiring aerosol generating dental care (including pediatrics and high-risk individuals [e.g., immunocompromised, > 60 years of age])
Intervention	Q1: N95 masks Q2: Masks (surgical or N95 masks)
Comparator	Q1: Surgical Masks (Levels 1, 2 or 3) Q2: Not applicable
Outcomes	Q1: Clinical effectiveness (transmission of infection [to dental clinician from patient], adverse events) Q2: Recommendations regarding the selection of masks during dental procedures for dental clinicians.
Study Designs	Health technology assessments, systematic reviews, randomized controlled trials, non-randomized studies, evidence-based guidelines

Results

Rapid Response reports are organized so that the higher quality evidence is presented first. Therefore, health technology assessment reports, and systematic reviews are presented



first, followed by randomized controlled trials, non-randomized studies, and evidence-based guidelines.

One non-randomized study¹ was identified regarding the clinical effectiveness of masks for dental clinicians exposed to bioaerosols or infectious agents during dental procedures. No relevant health technology assessments, systematic reviews, or randomized controlled trials were identified. In addition, no relevant evidence-based guidelines were identified regarding the selection of respiratory protection during dental procedures for dental clinicians.

Additional references of potential interest are provided in the appendix.

Health Technology Assessments

No literature identified.

Systematic Reviews and Meta-Analyses

No literature identified.

Randomized Controlled Trials

No literature identified.

Non-Randomized Studies

 Liu MH, Chen CT, Chuang LC, Lin WM, Wan GH. Removal efficiency of central vacuum system and protective masks to suspended particles from dental treatment. PLoS ONE. 2019;14(11):e0225644.
 PubMed: PM31770413

Guidelines and Recommendations

No literature identified.



Appendix — Further Information

Previous CADTH Reports

- Respiratory precautions for protection from bioaerosols or infectious agents: a review
 of the clinical effectiveness and guidelines. (CADTH Rapid response report: summary
 with critical appraisal). Ottawa (ON): CADTH; 2014: https://www.cadth.ca/respiratory-precautions-protection-bioaerosols-or-infectious-agents-review-clinical-effectiveness.
 Accessed 2020 Mar 23.
- Wear compliance and donning/doffing of respiratory protection for bioaerosols or infectious agents: a review of the effectiveness, safety, and guidelines. (CADTH Rapid response report: summary with critical appraisal). Ottawa (ON): CADTH; 2014. https://www.cadth.ca/wear-compliance-and-donningdoffing-respiratory-protection-bioaerosols-or-infectious-agents-review. Accessed 2020 Mar 23.
- Aerosol-generating procedures and risk of transmission of acute respiratory infections: a systematic review. (CADTH Health technology assessment). Ottawa (ON): CADTH; 2013: https://www.cadth.ca/aerosol-generating-procedures-and-risk-of-transmission-acute-respiratory-infections-systematic-review. Accessed 2020 Mar 23.
- Physical interventions to interrupt or reduce the spread of respiratory viruses —
 resource use implications: a systematic review. (CADTH Health technology
 assessment). Ottawa (ON): CADTH; 2011: https://www.cadth.ca/physical-interventions-interrupt-or-reduce-spread-respiratory-viruses-resource-use-implications-0. Accessed 2020 Mar 23.
- Use of N99 respirator masks during a pandemic: clinical effectiveness. (CADTH Health technology inquiry service: health technology assessment). Ottawa (ON): CADTH;
 2009: https://www.cadth.ca/use-n99-respirator-masks-during-pandemic-clinical-effectiveness-0. Accessed 2020 Mar 23.

Health Technology Assessments – Alternative Population

 Killingley B, Greatorex J, Cauchemez S, et al. Virus shedding and environmental deposition of novel A (H1N1) pandemic influenza virus: interim findings. *Health Technol Assess*. 2010 Oct;14(46):237-354. https://www.journalslibrary.nihr.ac.uk/hta/hta14460-04/#/abstract. Accessed 2020 Mar 23 PubMed: PM20923613

Systematic Reviews and Meta-Analyses – Alternative Population

8. Bin-Reza F, Lopez Chavarrias V, Nicoll A, Chamberland ME. The use of masks and respirators to prevent transmission of influenza: a systematic review of the scientific evidence. *Influenza Other Respir Viruses*. 2012 Jul;6(4):257-267. PubMed: PM22188875



Randomized Controlled Trials – Alternative Population

 Loeb M, Dafoe N, Mahony J, et al. Surgical mask vs N95 respirator for preventing influenza among health care workers: a randomized trial. *JAMA*. 2009 Nov 4;302(17):1865-1871.
 PubMed: PM19797474

Non-Randomized Studies – No Comparator

 Zhou SS, Lukula S, Chiossone C, Nims RW, Suchmann DB, Ijaz MK. Assessment of a respiratory face mask for capturing air pollutants and pathogens including human influenza and rhinoviruses. *J Thorac Dis.* 2018 Mar;10(3):2059-2069. PubMed: PM29707364

Alternative Mask

- Oberg T, Brosseau LM. Surgical mask filter and fit performance. Am J Infect Control. 2008 May;36(4):276-282.
 PubMed: PM18455048
- Checchi L, Montevecchi M, Moreschi A, Graziosi F, Taddei P, Violante FS. Efficacy of three face masks in preventing inhalation of airborne contaminants in dental practice. J Am Dent Assoc. 2005 Jul;136(7):877-882. PubMed: PM16060468

Clinical Practice Guidelines

Dental-Specific Aerosol Generating Medical Procedures

- 13. When to use a surgical face mask or FFP3 respirator. London (GB): Public Health England; 2020: http://www.dwmh.nhs.uk/wp-content/uploads/2020/03/PHE_11606 When to use face mask or FFP3 02.pdf. Accessed 2020 Mar 23. Copy and paste link into browser
- 14. Interim infection prevention and control recommendations for patients with suspected or confirmed coronavirus disease 2019 (COVID-19) in healthcare settings. Atlanta (GA): Centers for Disease Control and Prevention; 2020: https://www.cdc.gov/coronavirus/2019-ncov/infection-control/control-recommendations.html Accessed 2020 Mar 23.
 - See: Respirator or Facemask
- 15. COVID-19: infection prevention and control guidance. London (GB): UK Government; 2020:
 - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment data/file/881489/COVID-
 - 19 Infection prevention and control guidance complete.pdf. Accessed 2020 Mar 23. See: 5.8.1 Aerosol-generating procedures (AGPs), page 30
- Infection prevention and control for clinical office practice. Toronto (ON): Ontario
 Agency for Health Protection and Promotion (Public Health Ontario), Provincial
 Infectious Diseases Advisory Committee; 2015: https://www.publichealthontario.ca/media/documents/bp-clinical-office-practice.pdf?la=en. Accessed 2020 Mar 23.
 See: N95 Masks, page 23



17. Pandemic influenza: guidance for dental practices. London (GB): UK Government, Department of Health; 2008:

 $\frac{\text{http://webarchive.nationalarchives.gov.uk/20130107105354/http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_087736?IdcService=GET_FILE&dID=172010&Rendition=Web. Accessed 2020 Mar 23.}$

See: Appendix 2, page 18

General Aerosol Generating Medical Procedures

- 18. Advice on the use of masks in the community, during home care and in healthcare settings in the context of the novel coronavirus (COVID-19) outbreak. Geneva (CH): WHO; 2020: <a href="https://www.who.int/publications-detail/advice-on-the-use-of-masks-in-the-community-during-home-care-and-in-healthcare-settings-in-the-context-of-the-novel-coronavirus-(2019-ncov)-outbreak. Accessed 2020 Mar 23.
- Contact and droplet precautions. Edmonton (AB): Alberta Health Services; 2019: https://www.albertahealthservices.ca/assets/healthinfo/ipc/hi-ipc-contact-and-droplet-precautions-info.pdf.
 Accessed 2020 Mar 23.
 See: pages 2 to 3
- Infection prevention and control for coronavirus disease (COVID-19): Interim guidance
 for acute healthcare settings. Ottawa (ON): Public Health Agency of Canada; 2020:
 https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirus-infection/health-professionals/interim-guidance-acute-healthcare-settings.html.
 Accessed 2020 Mar 23.

See: 11. Aerosol-generating medical procedures

- Coronavirus Disease 2019 (COVID-19): Infection prevention and control requirements
 for aerosol-generating medical procedures. Toronto (ON): Public Health Ontario; 2020:
 https://www.publichealthontario.ca/-/media/documents/ncov/ipac/ipac-aerosol-generating-procedures.pdf?la=en. Accessed 2020 Mar 23.
 See: Personal Protective Equipment, page 2
- Prince Edward Island guidelines for the management and control of COVID-19.
 Charlottetown (PE): Prince Edward Island Health and Wellness; 2020:
 https://www.princeedwardisland.ca/sites/default/files/publications/20200311_guideline_covid-19_final.pdf Accessed 2020 Mar 23.
- Rational use of personal protective equipment (PPE) for coronavirus disease (COVID-19). Geneva (CH): World Health Organization; 2020: https://apps.who.int/iris/bitstream/handle/10665/331498/WHO-2019-nCoV-IPCPPE use-2020.2-eng.pdf. Accessed 2020 Mar 23.
- Alberta's response to the 2009 H1N1 influenza pandemic. Calgary (AB): Health Quality Council of Alberta; 2010: https://hqca.ca/wp-content/uploads/2018/05/H1N1_OfficialReport_December_2010.pdf. Accessed 2020 Mar 23.

See:3.5.3 Use of Personal Protective Equipment including N95 Masks, page 49



Review Articles

- 25. Meng L, Hua F, Bian Z. Coronavirus disease 2019 (COVID-19): emerging and future challenges for dental and oral medicine. *J Dent Res.* 2020:22034520914246. PubMed: PM32162995
- 26. Peng X, Xu X, Li Y, Cheng L, Zhou X, Ren B. Transmission routes of 2019-nCoV and controls in dental practice. *Int J Oral Sci.* 2020;12(1):9. PubMed: PM32127517
- Petti S. Tuberculosis: Occupational risk among dental healthcare workers and risk for infection among dental patients. A meta-narrative review. *J Dent.* 2016;49:1-8.
 PubMed: PM27106547
- 28. Bennett AM, Fulford MR, Walker JT, Bradshaw DJ, Martin MV, Marsh PD. Microbial aerosols in general dental practice. *Br Dent J*. 2000;189(12):664-667.

 PubMed: PM11191178

Additional References

- Appropriate mask for the COVID-19 pandemic. Saskatoon (SK): College of Dental Surgeons of Saskatchewan; 2020:
 https://saskdentists.com/images/pdf/temp_files/Alerts_Memos/Mask_Levels_Guide_to_Face_Mask_Selection_Use.pdf. Accessed 2020 Mar 23.
- COVID-19 Clinical recommendations for use of PPE (mask vs respirator). Winnipeg (MB): Shared Health Manitoba; 2020:
 https://sharedhealthmb.ca/files/covid-19-mask-vs-respirator-poster.pdf. Accessed 2020 Mar 23